


**Serienbaubeschreibung  
Standard specification**

**BAVARIA 37**



**BAVARIA YACHTS**

# Serienausstattung • Standard fittings and equipment

## **DECK**

- Laufdeck und Decksaufbau mit Antirutschstruktur
- Teak auf Sitzduchten und Cockpitboden
- Bugkorb
- Heckkorb
- Seerelling
- Bugbeschlag mit Ankerrolle
- 4 Belegklappen
- 2 Arbeitswinden, 2-Gang, selbstholend
- 2 Genuawinden, 2-Gang, selbstholend
- 2 Windenkurbeln
- Strecker- und Leinenumlenkung ins Cockpit
- Selbstlenzender Ankerkasten
- 2 Backskisten im Cockpit
- Selbstlenzender Gasflaschenkasten
- Cockpitdusche
- Badeleiter
- Deckslüfter
- Elektrische Lenzpumpe
- Handlenzpumpe
- Positionslampen
- Decksleuchte

## **SEGEL**

- Großsegel, abgestimmt auf konventionelles Rigg
- Genua, abgestimmt auf serienmäßige Vorsegelrollfeinrichtung

## **RIGG**

- Konventionelles Rigg
- Rollfeinrichtung für Vorsegel

## **BALLAST**

- Gußeisenkiel in moderner Lateralform
- Tiefgang 1,85 bzw. 1,35 Meter (Option)

## **RUDERANLAGE**

- Steuersäule
- Profiliruder mit Vordabance
- Ruderwelle mit selbststrichenden Pendellagem
- Notpinne
- Steuerrad mit Lederbezug
- Instrumentenkonsole

## **ELEKTRISCHE EINRICHTUNG**

- Bordnetzschalttafel
- Sicherungsautomaten mit Kontrollleuchten
- Motorstromkreis / Bordstromkreis
- 1 x 55 Ah / 1 x 140 Ah
- Voltmeter

## **INNENEINRICHTUNG**

- 3 Kabinen mit 6 festen Kojen oder 2 Kabinen mit 4 festen Kojen zzgl. Messe
- Salon mit komfortabler Sitzgarnitur
- Aufwendig gestalteter Messetisch
- Sideboards mit Ablagen und Schränken
- Kartentisch mit großem Fach für Seekarten und Navigationsbesteck
- Kartentischsitz mit Stauraum für Werkzeuge
- Bücherfach
- Pantry mit 2-Flammigem Gaskocher und Gasbackofen, halbkardanisch
- Isolierte Kühlbox
- VA-Spülbecken
- Stauräume mit Schubladen und Klappen
- Stauräume für Geschirr, Töpfe und Mülleimer
- 3 Feuerlöscher
- Toilettenraum mit pflegeleichten Flächen aus Kunststoff
- Pump-WC
- 2 Luken zum Öffnen
- 6 Seitenfenster zum Öffnen

## **FRISCHWASSERVERSORGUNG**

- Tank mit ca. 300 l Inhalt
- Füllstandsanzeige

## **INSTRUMENTIERUNG**

- Elektrische Druckwasserpumpe mit Pumpenfilter
- Triidata (Log, Lot und Speed)
- Kompaß

## **MOTORANLAGE**

- Volvo-Perkins MD 2030, 21 kW / 29 PS mit Sail-Drive
- Zweikreiskühlung
- Betriebsstundenzähler
- Drehzahlmesser
- Dieseltank mit ca. 150 l Inhalt
- Füllstandsanzeige
- Dieselfilter
- Seewasserfilter

## **DECK**

- Side deck and coach roof with anti-slide structure
- Teak on seat thwarts and cockpit floor
- Pulpit
- Pushpit
- Guardrail
- Bow fitting with anchor roller
- 4 Cleats
- 2 Self-tailing working winches, two-speed
- 2 Self-tailing genoa winches, two-speed
- 2 Winch handles
- Tensioners and lines led to the cockpit
- Self-draining anchor locker
- 2 Locker seats cockpit
- Self-draining gas cylinder container
- Cockpit shower
- Boarding ladder
- Deck vent
- Electric bilge pump
- Manual bilge pump
- Navigation lights
- Deck light

## **SAIL**

- Mainsail, coordinated with conventional rig
- Genua, coordinated with standard foresail reefing gear

## **RIGGING**

- Conventional rig
- Roller reefing gear for foresail

## **BALLAST**

- Cast iron keel in modern lateral profile
- Draught 1.85 or 1.35 m (option)

## **RUDDER**

- Steering pedestal
- Streamlined rudder with forebalance
- Rudder stock with self-adjusting pendulum bearings
- Emergency tiller
- Steering wheel with leather cover
- Pedestal for instruments

## **ELECTRICAL SYSTEM**

- Boat's power supply switch board
- Automatic fuses with control lamps
- Engine circuit / Boat circuit
- 1 x 55 Ah / 1 x 140 Ah
- Voltmeter

## **INTERIOR**

- 3 cabins with 6 berths or 2 cabins with 4 berths plus saloon
- Saloon with comfortable settee
- Luxuriously styled saloon table
- Sideboards with stowage space and lockers
- Chart table with large compartment for nautical charts and navigation instruments
- Chart table seat with stowage for tools
- Book shelf
- Galley: cooker with 2 burners and oven, halfcardanic
- Insulated cooling box
- Sink of stainless steel
- Stowage with drawers and drop doors
- Stowage for dishes, pots and waste bucket
- 3 Fire-extinguishers
- Marine head with easy-care synthetic surfaces
- Pump toilet
- 2 hatches to open
- 6 side windows to open

## **FRESH WATER SUPPLY**

- Tank with appx. 300 l content
- Water level indicator

## **INSTRUMENTS**


- Electric pressure water pump with pump filter
- Triidata (log, speedometer and echo sounder)
- Compass

## **MOTORIZATION**

- Volvo-Perkins MD 2030, 21 kW / 29 hp with sail drive
- Dual circuit cooling
- Engine hours counter
- Rev-counter
- Diesel tank with appx. 150 l content
- Fuel level indicator
- Diesel filter
- Seawater filter


## 3-Kabinen Version


### 3-Cabin version



## 2-Kabinen Version

### 2-Cabin version





## Technische Daten / Technical Data

|                                |                                           |                                   |
|--------------------------------|-------------------------------------------|-----------------------------------|
| Gesamtlänge                    | 11,55 m                                   | Length overall                    |
| Länge Rumpf                    | 11,15 m                                   | Length hull                       |
| Länge Wasserlinie              | 8,95 m                                    | Length waterline                  |
| Breite                         | 3,68 m                                    | Beam                              |
| Tiefgang<br>Standard<br>Option | ca. I 1,85 m appx.<br>ca. II 1,35 m appx. | Standard Draught<br>Option        |
| Leergewicht                    | ca. 5.360 kg appx.                        | Displacement                      |
| Ballast                        | ca. 1.780 kg appx.                        | Ballast                           |
| Motor                          | Volvo MD 2030<br>21 kW / 29 PS/hp         | Engine                            |
| Wassertank                     | ca. 300 l appx.                           | Water tank                        |
| Treibstofftank                 | ca. 150 l appx.                           | Fuel tank                         |
| Segelflächen                   |                                           | Sail areas                        |
| Rollgroß                       | ca. 26,00 m <sup>2</sup> appx.            | Furling mainsail                  |
| Lattengroß                     | ca. 31,00 m <sup>2</sup> appx.            | Battened mainsail                 |
| Genua                          | ca.28,50 m <sup>2</sup> appx.             | Genoa                             |
| Masthöhe<br>über Wasserlinie   | ca. 16,20 m appx.                         | Height of mast<br>above waterline |

Alle Maße und Gewichte sind rechnerische Werte aufgrund von Konstruktionsunterlagen. Bildliche und textliche Darstellungen entsprechen dem derzeitigen Entwicklungsstand und sind für die künftige Serienausführung nicht verbindlich.

All weights and measurements have been calculated on the basis of construction documents. Graphic and textual descriptions are in accordance with the present development status and without engagement for the future standard version.

**Konstruktion / Construction** J & J Design • **Werft / Shipyard** Bavaria Yachtbau GmbH

**Bavaria Yachtbau GmbH**

Industriestraße 11 • D-97232 Giebelstadt/Würzburg

Tel. (0) 93 34 / 94 20 • Fax (0) 93 34 / 94 21 16

Internet: <http://www.bavaria-yachtbau.com> • e-mail: [info@bavaria-yachtbau.com](mailto:info@bavaria-yachtbau.com)